

2L Property Table

<i>Shape</i>	<i>Weight per foot</i>	<i>Depth</i>	<i>Width</i>	<i>Thickness</i>	<i>Area</i>	<i>Sx</i>
2L8X8X1-1/8	114	8	8	1.125	33.6	35
2L8X8X1-1/8X3/8	114	8	8	1.125	33.6	35
2L8X8X1-1/8X3/4	114	8	8	1.125	33.6	35
2L8X8X1	103	8	8	1	30.2	31.6
2L8X8X1X3/8	103	8	8	1	30.2	31.6
2L8X8X1X3/4	103	8	8	1	30.2	31.6
2L8X8X7/8	90.6	8	8	0.875	26.6	28
2L8X8X7/8X3/8	90.6	8	8	0.875	26.6	28
2L8X8X7/8X3/4	90.6	8	8	0.875	26.6	28
2L8X8X3/4	78.4	8	8	0.75	23	24.4
2L8X8X3/4X3/8	78.4	8	8	0.75	23	24.4
2L8X8X3/4X3/4	78.4	8	8	0.75	23	24.4
2L8X8X5/8	66	8	8	0.625	19.4	20.6
2L8X8X5/8X3/8	66	8	8	0.625	19.4	20.6
2L8X8X5/8X3/4	66	8	8	0.625	19.4	20.6
2L8X8X9/16	59.7	8	8	0.5625	17.5	18.7
2L8X8X9/16X3/8	59.7	8	8	0.5625	17.5	18.7
2L8X8X9/16X3/4	59.7	8	8	0.5625	17.5	18.7
2L8X8X1/2	53.3	8	8	0.5	15.7	16.7
2L8X8X1/2X3/8	53.3	8	8	0.5	15.7	16.7
2L8X8X1/2X3/4	53.3	8	8	0.5	15.7	16.7
2L6X6X1	75	6	6	1	22	17.1
2L6X6X1X3/8	75	6	6	1	22	17.1
2L6X6X1X3/4	75	6	6	1	22	17.1
2L6X6X7/8	66.4	6	6	0.875	19.5	15.2
2L6X6X7/8X3/8	66.4	6	6	0.875	19.5	15.2
2L6X6X7/8X3/4	66.4	6	6	0.875	19.5	15.2
2L6X6X3/4	57.6	6	6	0.75	16.9	13.3
2L6X6X3/4X3/8	57.6	6	6	0.75	16.9	13.3
2L6X6X3/4X3/4	57.6	6	6	0.75	16.9	13.3
2L6X6X5/8	48.5	6	6	0.625	14.3	11.3
2L6X6X5/8X3/8	48.5	6	6	0.625	14.3	11.3
2L6X6X5/8X3/4	48.5	6	6	0.625	14.3	11.3
2L6X6X9/16	43.9	6	6	0.5625	12.9	10.2
2L6X6X9/16X3/8	43.9	6	6	0.5625	12.9	10.2
2L6X6X9/16X3/4	43.9	6	6	0.5625	12.9	10.2
2L6X6X1/2	39.3	6	6	0.5	11.5	9.18
2L6X6X1/2X3/8	39.3	6	6	0.5	11.5	9.18
2L6X6X1/2X3/4	39.3	6	6	0.5	11.5	9.18
2L6X6X7/16	34.6	6	6	0.4375	10.2	8.11
2L6X6X7/16X3/8	34.6	6	6	0.4375	10.2	8.11
2L6X6X7/16X3/4	34.6	6	6	0.4375	10.2	8.11
2L6X6X3/8	29.8	6	6	0.375	8.76	7.01
2L6X6X3/8X3/8	29.8	6	6	0.375	8.76	7.01
2L6X6X3/8X3/4	29.8	6	6	0.375	8.76	7.01
2L6X6X5/16	25	6	6	0.3125	7.34	5.9
2L6X6X5/16X3/8	25	6	6	0.3125	7.34	5.9
2L6X6X5/16X3/4	25	6	6	0.3125	7.34	5.9
2L5X5X7/8	54.6	5	5	0.875	16	10.3
2L5X5X7/8X3/8	54.6	5	5	0.875	16	10.3
2L5X5X7/8X3/4	54.6	5	5	0.875	16	10.3
2L5X5X3/4	47.5	5	5	0.75	14	9.04
2L5X5X3/4X3/8	47.5	5	5	0.75	14	9.04
2L5X5X3/4X3/4	47.5	5	5	0.75	14	9.04
2L5X5X5/8	40.1	5	5	0.625	11.8	7.7
2L5X5X5/8X3/8	40.1	5	5	0.625	11.8	7.7
2L5X5X5/8X3/4	40.1	5	5	0.625	11.8	7.7
2L5X5X1/2	32.6	5	5	0.5	9.58	6.29
2L5X5X1/2X3/8	32.6	5	5	0.5	9.58	6.29
2L5X5X1/2X3/4	32.6	5	5	0.5	9.58	6.29
2L5X5X7/16	28.7	5	5	0.4375	8.44	5.57

2L Property Table

Shape	Weight per foot	Depth	Width	Thickness	Area	Sx
2L5X5X7/16X3/8	28.7	5	5	0.4375	8.44	5.57
2L5X5X7/16X3/4	28.7	5	5	0.4375	8.44	5.57
2L5X5X3/8	24.8	5	5	0.375	7.3	4.83
2L5X5X3/8X3/8	24.8	5	5	0.375	7.3	4.83
2L5X5X3/8X3/4	24.8	5	5	0.375	7.3	4.83
2L5X5X5/16	20.9	5	5	0.3125	6.13	4.07
2L5X5X5/16X3/8	20.9	5	5	0.3125	6.13	4.07
2L5X5X5/16X3/4	20.9	5	5	0.3125	6.13	4.07
2L4X4X3/4	37	4	4	0.75	10.9	5.58
2L4X4X3/4X3/8	37	4	4	0.75	10.9	5.58
2L4X4X3/4X3/4	37	4	4	0.75	10.9	5.58
2L4X4X5/8	31.3	4	4	0.625	9.21	4.77
2L4X4X5/8X3/8	31.3	4	4	0.625	9.21	4.77
2L4X4X5/8X3/4	31.3	4	4	0.625	9.21	4.77
2L4X4X1/2	25.5	4	4	0.5	7.49	3.91
2L4X4X1/2X3/8	25.5	4	4	0.5	7.49	3.91
2L4X4X1/2X3/4	25.5	4	4	0.5	7.49	3.91
2L4X4X7/16	22.5	4	4	0.4375	6.61	3.47
2L4X4X7/16X3/8	22.5	4	4	0.4375	6.61	3.47
2L4X4X7/16X3/4	22.5	4	4	0.4375	6.61	3.47
2L4X4X3/8	19.4	4	4	0.375	5.71	3.01
2L4X4X3/8X3/8	19.4	4	4	0.375	5.71	3.01
2L4X4X3/8X3/4	19.4	4	4	0.375	5.71	3.01
2L4X4X5/16	16.3	4	4	0.3125	4.8	2.54
2L4X4X5/16X3/8	16.3	4	4	0.3125	4.8	2.54
2L4X4X5/16X3/4	16.3	4	4	0.3125	4.8	2.54
2L4X4X1/4	13.2	4	4	0.25	3.87	2.05
2L4X4X1/4X3/8	13.2	4	4	0.25	3.87	2.05
2L4X4X1/4X3/4	13.2	4	4	0.25	3.87	2.05
2L3-1/2X3-1/2X1/2	22.2	3.5	3.5	0.5	6.53	2.96
2L3-1/2X3-1/2X1/2X3/8	22.2	3.5	3.5	0.5	6.53	2.96
2L3-1/2X3-1/2X1/2X3/4	22.2	3.5	3.5	0.5	6.53	2.96
2L3-1/2X3-1/2X7/16	19.6	3.5	3.5	0.4375	5.77	2.63
2L3-1/2X3-1/2X7/16X3/8	19.6	3.5	3.5	0.4375	5.77	2.63
2L3-1/2X3-1/2X7/16X3/4	19.6	3.5	3.5	0.4375	5.77	2.63
2L3-1/2X3-1/2X3/8	17	3.5	3.5	0.375	5	2.29
2L3-1/2X3-1/2X3/8X3/8	17	3.5	3.5	0.375	5	2.29
2L3-1/2X3-1/2X3/8X3/4	17	3.5	3.5	0.375	5	2.29
2L3-1/2X3-1/2X5/16	14.3	3.5	3.5	0.3125	4.21	1.94
2L3-1/2X3-1/2X5/16X3/8	14.3	3.5	3.5	0.3125	4.21	1.94
2L3-1/2X3-1/2X5/16X3/4	14.3	3.5	3.5	0.3125	4.21	1.94
2L3-1/2X3-1/2X1/4	11.6	3.5	3.5	0.25	3.41	1.57
2L3-1/2X3-1/2X1/4X3/8	11.6	3.5	3.5	0.25	3.41	1.57
2L3-1/2X3-1/2X1/4X3/4	11.6	3.5	3.5	0.25	3.41	1.57
2L3X3X1/2	18.7	3	3	0.5	5.5	2.13
2L3X3X1/2X3/8	18.7	3	3	0.5	5.5	2.13
2L3X3X1/2X3/4	18.7	3	3	0.5	5.5	2.13
2L3X3X7/16	16.6	3	3	0.4375	4.86	1.89
2L3X3X7/16X3/8	16.6	3	3	0.4375	4.86	1.89
2L3X3X7/16X3/4	16.6	3	3	0.4375	4.86	1.89
2L3X3X3/8	14.3	3	3	0.375	4.22	1.65
2L3X3X3/8X3/8	14.3	3	3	0.375	4.22	1.65
2L3X3X3/8X3/4	14.3	3	3	0.375	4.22	1.65
2L3X3X5/16	12.1	3	3	0.3125	3.55	1.4
2L3X3X5/16X3/8	12.1	3	3	0.3125	3.55	1.4
2L3X3X5/16X3/4	12.1	3	3	0.3125	3.55	1.4
2L3X3X1/4	9.77	3	3	0.25	2.87	1.14
2L3X3X1/4X3/8	9.77	3	3	0.25	2.87	1.14
2L3X3X1/4X3/4	9.77	3	3	0.25	2.87	1.14
2L3X3X3/16	7.41	3	3	0.1875	2.18	0.867
2L3X3X3/16X3/8	7.41	3	3	0.1875	2.18	0.867

2L Property Table

Shape	Weight per foot	Depth	Width	Thickness	Area	Sx
2L3X3X3/16X3/4	7.41	3	3	0.1875	2.18	0.867
2L2-1/2X2-1/2X1/2	15.3	2.5	2.5	0.5	4.5	1.43
2L2-1/2X2-1/2X1/2X3/8	15.3	2.5	2.5	0.5	4.5	1.43
2L2-1/2X2-1/2X1/2X3/4	15.3	2.5	2.5	0.5	4.5	1.43
2L2-1/2X2-1/2X3/8	11.8	2.5	2.5	0.375	3.47	1.12
2L2-1/2X2-1/2X3/8X3/8	11.8	2.5	2.5	0.375	3.47	1.12
2L2-1/2X2-1/2X3/8X3/4	11.8	2.5	2.5	0.375	3.47	1.12
2L2-1/2X2-1/2X5/16	9.96	2.5	2.5	0.3125	2.93	0.949
2L2-1/2X2-1/2X5/16X3/8	9.96	2.5	2.5	0.3125	2.93	0.949
2L2-1/2X2-1/2X5/16X3/4	9.96	2.5	2.5	0.3125	2.93	0.949
2L2-1/2X2-1/2X1/4X3/8	8.07	2.5	2.5	0.25	2.37	0.773
2L2-1/2X2-1/2X1/4X3/4	8.07	2.5	2.5	0.25	2.37	0.773
2L2-1/2X2-1/2X3/16	6.13	2.5	2.5	0.1875	1.8	0.59
2L2-1/2X2-1/2X3/16X3/8	6.13	2.5	2.5	0.1875	1.8	0.59
2L2-1/2X2-1/2X3/16X3/4	6.13	2.5	2.5	0.1875	1.8	0.59
2L2X2X3/8	9.3	2	2	0.375	2.73	0.696
2L2X2X3/8X3/8	9.3	2	2	0.375	2.73	0.696
2L2X2X3/8X3/4	9.3	2	2	0.375	2.73	0.696
2L2X2X5/16	7.89	2	2	0.3125	2.32	0.595
2L2X2X5/16X3/8	7.89	2	2	0.3125	2.32	0.595
2L2X2X5/16X3/4	7.89	2	2	0.3125	2.32	0.595
2L2X2X1/4	6.43	2	2	0.25	1.89	0.489
2L2X2X1/4X3/8	6.43	2	2	0.25	1.89	0.489
2L2X2X1/4X3/4	6.43	2	2	0.25	1.89	0.489
2L2X2X3/16	4.91	2	2	0.1875	1.44	0.376
2L2X2X3/16X3/8	4.91	2	2	0.1875	1.44	0.376
2L2X2X3/16X3/4	4.91	2	2	0.1875	1.44	0.376
2L2X2X1/8	3.34	2	2	0.125	0.982	0.257
2L2X2X1/8X3/8	3.34	2	2	0.125	0.982	0.257
2L2X2X1/8X3/4	3.34	2	2	0.125	0.982	0.257
2L8X6X1LLBB	88.8	8	6	1	26.1	30.2
2L8X6X1X3/8LLBB	88.8	8	6	1	26.1	30.2
2L8X6X1X3/4LLBB	88.8	8	6	1	26.1	30.2
2L8X6X7/8LLBB	78.5	8	6	0.875	23.1	26.8
2L8X6X7/8X3/8LLBB	78.5	8	6	0.875	23.1	26.8
2L8X6X7/8X3/4LLBB	78.5	8	6	0.875	23.1	26.8
2L8X6X3/4LLBB	68	8	6	0.75	20	23.3
2L8X6X3/4X3/8LLBB	68	8	6	0.75	20	23.3
2L8X6X3/4X3/4LLBB	68	8	6	0.75	20	23.3
2L8X6X5/8LLBB	57.3	8	6	0.625	16.8	19.7
2L8X6X5/8X3/8LLBB	57.3	8	6	0.625	16.8	19.7
2L8X6X5/8X3/4LLBB	57.3	8	6	0.625	16.8	19.7
2L8X6X9/16LLBB	51.8	8	6	0.5625	15.2	17.9
2L8X6X9/16X3/8LLBB	51.8	8	6	0.5625	15.2	17.9
2L8X6X9/16X3/4LLBB	51.8	8	6	0.5625	15.2	17.9
2L8X6X1/2LLBB	46.3	8	6	0.5	13.6	16
2L8X6X1/2X3/8LLBB	46.3	8	6	0.5	13.6	16
2L8X6X1/2X3/4LLBB	46.3	8	6	0.5	13.6	16
2L8X6X7/16LLBB	40.7	8	6	0.4375	12	14.1
2L8X6X7/16X3/8LLBB	40.7	8	6	0.4375	12	14.1
2L8X6X7/16X3/4LLBB	40.7	8	6	0.4375	12	14.1
2L8X4X1LLBB	75.2	8	4	1	22.1	28.1
2L8X4X1X3/8LLBB	75.2	8	4	1	22.1	28.1
2L8X4X1X3/4LLBB	75.2	8	4	1	22.1	28.1
2L8X4X7/8LLBB	66.6	8	4	0.875	19.6	25
2L8X4X7/8X3/8LLBB	66.6	8	4	0.875	19.6	25
2L8X4X7/8X3/4LLBB	66.6	8	4	0.875	19.6	25
2L8X4X3/4LLBB	57.8	8	4	0.75	17	21.7
2L8X4X3/4X3/8LLBB	57.8	8	4	0.75	17	21.7
2L8X4X3/4X3/4LLBB	57.8	8	4	0.75	17	21.7
2L8X4X5/8LLBB	48.7	8	4	0.625	14.3	18.4

2L Property Table

<i>Shape</i>	<i>Weight per foot</i>	<i>Depth</i>	<i>Width</i>	<i>Thickness</i>	<i>Area</i>	<i>Sx</i>
2L8X4X5/8X3/8LLBB	48.7	8	4	0.625	14.3	18.4
2L8X4X5/8X3/4LLBB	48.7	8	4	0.625	14.3	18.4
2L8X4X9/16LLBB	44.1	8	4	0.5625	13	16.7
2L8X4X9/16X3/8LLBB	44.1	8	4	0.5625	13	16.7
2L8X4X9/16X3/4LLBB	44.1	8	4	0.5625	13	16.7
2L8X4X1/2LLBB	39.5	8	4	0.5	11.6	15
2L8X4X1/2X3/8LLBB	39.5	8	4	0.5	11.6	15
2L8X4X1/2X3/4LLBB	39.5	8	4	0.5	11.6	15
2L8X4X7/16LLBB	34.8	8	4	0.4375	10.2	13.2
2L8X4X7/16X3/8LLBB	34.8	8	4	0.4375	10.2	13.2
2L8X4X7/16X3/4LLBB	34.8	8	4	0.4375	10.2	13.2
2L7X4X3/4LLBB	52.4	7	4	0.75	15.4	16.8
2L7X4X3/4X3/8LLBB	52.4	7	4	0.75	15.4	16.8
2L7X4X3/4X3/4LLBB	52.4	7	4	0.75	15.4	16.8
2L7X4X5/8LLBB	44.2	7	4	0.625	13	14.2
2L7X4X5/8X3/8LLBB	44.2	7	4	0.625	13	14.2
2L7X4X5/8X3/4LLBB	44.2	7	4	0.625	13	14.2
2L7X4X1/2LLBB	35.8	7	4	0.5	10.5	11.6
2L7X4X1/2X3/8LLBB	35.8	7	4	0.5	10.5	11.6
2L7X4X1/2X3/4LLBB	35.8	7	4	0.5	10.5	11.6
2L7X4X7/16LLBB	31.5	7	4	0.4375	9.27	10.2
2L7X4X7/16X3/8LLBB	31.5	7	4	0.4375	9.27	10.2
2L7X4X7/16X3/4LLBB	31.5	7	4	0.4375	9.27	10.2
2L7X4X3/8LLBB	27.2	7	4	0.375	8	8.83
2L7X4X3/8LLBB	27.2	7	4	0.375	8	8.83
2L7X4X3/8X3/8LLBB	27.2	7	4	0.375	8	8.83
2L7X4X3/8X3/4LLBB	27.2	7	4	0.375	8	8.83
2L6X4X7/8LLBB	54.3	6	4	0.875	16	14.3
2L6X4X7/8X3/8LLBB	54.3	6	4	0.875	16	14.3
2L6X4X7/8X3/4LLBB	54.3	6	4	0.875	16	14.3
2L6X4X3/4LLBB	47.2	6	4	0.75	13.9	12.5
2L6X4X3/4X3/8LLBB	47.2	6	4	0.75	13.9	12.5
2L6X4X3/4X3/4LLBB	47.2	6	4	0.75	13.9	12.5
2L6X4X5/8LLBB	39.9	6	4	0.625	11.7	10.6
2L6X4X5/8X3/8LLBB	39.9	6	4	0.625	11.7	10.6
2L6X4X5/8X3/4LLBB	39.9	6	4	0.625	11.7	10.6
2L6X4X9/16LLBB	36.1	6	4	0.5625	10.6	9.61
2L6X4X9/16X3/8LLBB	36.1	6	4	0.5625	10.6	9.61
2L6X4X9/16X3/4LLBB	36.1	6	4	0.5625	10.6	9.61
2L6X4X1/2LLBB	32.3	6	4	0.5	9.5	8.63
2L6X4X1/2X3/8LLBB	32.3	6	4	0.5	9.5	8.63
2L6X4X1/2X3/4LLBB	32.3	6	4	0.5	9.5	8.63
2L6X4X7/16LLBB	28.5	6	4	0.4375	8.36	7.62
2L6X4X7/16X3/8LLBB	28.5	6	4	0.4375	8.36	7.62
2L6X4X7/16X3/4LLBB	28.5	6	4	0.4375	8.36	7.62
2L6X4X3/8LLBB	24.6	6	4	0.375	7.22	6.59
2L6X4X3/8X3/8LLBB	24.6	6	4	0.375	7.22	6.59
2L6X4X3/8X3/4LLBB	24.6	6	4	0.375	7.22	6.59
2L6X4X5/16LLBB	20.6	6	4	0.3125	6.05	5.55
2L6X4X5/16X3/8LLBB	20.6	6	4	0.3125	6.05	5.55
2L6X4X5/16X3/4LLBB	20.6	6	4	0.3125	6.05	5.55
2L6X3-1/2X1/2LLBB	30.7	6	3.5	0.5	9.04	8.45
2L6X3-1/2X1/2X3/8LLBB	30.7	6	3.5	0.5	9.04	8.45
2L6X3-1/2X1/2X3/4LLBB	30.7	6	3.5	0.5	9.04	8.45
2L6X3-1/2X3/8LLBB	23.4	6	3.5	0.375	6.88	6.47
2L6X3-1/2X3/8X3/8LLBB	23.4	6	3.5	0.375	6.88	6.47
2L6X3-1/2X3/8X3/4LLBB	23.4	6	3.5	0.375	6.88	6.47
2L6X3-1/2X5/16LLBB	19.7	6	3.5	0.3125	5.78	5.45
2L6X3-1/2X5/16X3/8LLBB	19.7	6	3.5	0.3125	5.78	5.45
2L6X3-1/2X5/16X3/4LLBB	19.7	6	3.5	0.3125	5.78	5.45
2L5X3-1/2X3/4LLBB	39.6	5	3.5	0.75	11.6	8.52

2L Property Table

<i>Shape</i>	<i>Weight per foot</i>	<i>Depth</i>	<i>Width</i>	<i>Thickness</i>	<i>Area</i>	<i>Sx</i>
2L5X3-1/2X3/4X3/8LLBB	39.6	5	3.5	0.75	11.6	8.52
2L5X3-1/2X3/4X3/4LLBB	39.6	5	3.5	0.75	11.6	8.52
2L5X3-1/2X5/8LLBB	33.5	5	3.5	0.625	9.85	7.26
2L5X3-1/2X5/8X3/8LLBB	33.5	5	3.5	0.625	9.85	7.26
2L5X3-1/2X5/8X3/4LLBB	33.5	5	3.5	0.625	9.85	7.26
2L5X3-1/2X1/2LLBB	27.2	5	3.5	0.5	8.01	5.94
2L5X3-1/2X1/2X3/8LLBB	27.2	5	3.5	0.5	8.01	5.94
2L5X3-1/2X1/2X3/4LLBB	27.2	5	3.5	0.5	8.01	5.94
2L5X3-1/2X3/8LLBB	20.8	5	3.5	0.375	6.1	4.56
2L5X3-1/2X3/8X3/8LLBB	20.8	5	3.5	0.375	6.1	4.56
2L5X3-1/2X3/8X3/4LLBB	20.8	5	3.5	0.375	6.1	4.56
2L5X3-1/2X5/16LLBB	17.4	5	3.5	0.3125	5.12	3.84
2L5X3-1/2X5/16X3/8LLBB	17.4	5	3.5	0.3125	5.12	3.84
2L5X3-1/2X5/16X3/4LLBB	17.4	5	3.5	0.3125	5.12	3.84
2L5X3-1/2X1/4LLBB	14.1	5	3.5	0.25	4.13	3.1
2L5X3-1/2X1/4X3/8LLBB	14.1	5	3.5	0.25	4.13	3.1
2L5X3-1/2X1/4X3/4LLBB	14.1	5	3.5	0.25	4.13	3.1
2L5X3X1/2LLBB	25.5	5	3	0.5	7.51	5.79
2L5X3X1/2X3/8LLBB	25.5	5	3	0.5	7.51	5.79
2L5X3X1/2X3/4LLBB	25.5	5	3	0.5	7.51	5.79
2L5X3X7/16LLBB	22.5	5	3	0.4375	6.62	5.12
2L5X3X7/16X3/8LLBB	22.5	5	3	0.4375	6.62	5.12
2L5X3X7/16X3/4LLBB	22.5	5	3	0.4375	6.62	5.12
2L5X3X3/8LLBB	19.5	5	3	0.375	5.73	4.44
2L5X3X3/8X3/8LLBB	19.5	5	3	0.375	5.73	4.44
2L5X3X3/8X3/4LLBB	19.5	5	3	0.375	5.73	4.44
2L5X3X5/16LLBB	16.4	5	3	0.3125	4.81	3.74
2L5X3X5/16X3/8LLBB	16.4	5	3	0.3125	4.81	3.74
2L5X3X5/16X3/4LLBB	16.4	5	3	0.3125	4.81	3.74
2L5X3X1/4LLBB	13.2	5	3	0.25	3.88	3.03
2L5X3X1/4X3/8LLBB	13.2	5	3	0.25	3.88	3.03
2L5X3X1/4X3/4LLBB	13.2	5	3	0.25	3.88	3.03
2L4X3-1/2X1/2LLBB	23.8	4	3.5	0.5	7.01	3.84
2L4X3-1/2X1/2X3/8LLBB	23.8	4	3.5	0.5	7.01	3.84
2L4X3-1/2X1/2X3/4LLBB	23.8	4	3.5	0.5	7.01	3.84
2L4X3-1/2X3/8LLBB	18.2	4	3.5	0.375	5.35	2.96
2L4X3-1/2X3/8X3/8LLBB	18.2	4	3.5	0.375	5.35	2.96
2L4X3-1/2X3/8X3/4LLBB	18.2	4	3.5	0.375	5.35	2.96
2L4X3-1/2X5/16LLBB	15.3	4	3.5	0.3125	4.5	2.5
2L4X3-1/2X5/16X3/8LLBB	15.3	4	3.5	0.3125	4.5	2.5
2L4X3-1/2X5/16X3/4LLBB	15.3	4	3.5	0.3125	4.5	2.5
2L4X3-1/2X1/4LLBB	12.4	4	3.5	0.25	3.63	2.02
2L4X3-1/2X1/4X3/8LLBB	12.4	4	3.5	0.25	3.63	2.02
2L4X3-1/2X1/4X3/4LLBB	12.4	4	3.5	0.25	3.63	2.02
2L4X3X5/8LLBB	27.1	4	3	0.625	7.98	4.56
2L4X3X5/8X3/8LLBB	27.1	4	3	0.625	7.98	4.56
2L4X3X5/8X3/4LLBB	27.1	4	3	0.625	7.98	4.56
2L4X3X1/2LLBB	22.1	4	3	0.5	6.51	3.75
2L4X3X1/2X3/8LLBB	22.1	4	3	0.5	6.51	3.75
2L4X3X1/2X3/4LLBB	22.1	4	3	0.5	6.51	3.75
2L4X3X3/8LLBB	16.9	4	3	0.375	4.98	2.89
2L4X3X3/8X3/8LLBB	16.9	4	3	0.375	4.98	2.89
2L4X3X3/8X3/4LLBB	16.9	4	3	0.375	4.98	2.89
2L4X3X5/16LLBB	14.2	4	3	0.3125	4.19	2.44
2L4X3X5/16X3/8LLBB	14.2	4	3	0.3125	4.19	2.44
2L4X3X5/16X3/4LLBB	14.2	4	3	0.3125	4.19	2.44
2L4X3X1/4LLBB	11.5	4	3	0.25	3.38	1.98
2L4X3X1/4X3/8LLBB	11.5	4	3	0.25	3.38	1.98
2L4X3X1/4X3/4LLBB	11.5	4	3	0.25	3.38	1.98
2L3-1/2X3X1/2LLBB	20.6	3.5	3	0.5	6.04	2.9
2L3-1/2X3X1/2X3/8LLBB	20.6	3.5	3	0.5	6.04	2.9

2L Property Table

Shape	Weight per foot	Depth	Width	Thickness	Area	Sx
2L3-1/2X3X1/2X3/4LLBB	20.6	3.5	3	0.5	6.04	2.9
2L3-1/2X3X7/16LLBB	18.2	3.5	3	0.4375	5.34	2.58
2L3-1/2X3X7/16X3/8LLBB	18.2	3.5	3	0.4375	5.34	2.58
2L3-1/2X3X7/16X3/4LLBB	18.2	3.5	3	0.4375	5.34	2.58
2L3-1/2X3X3/8LLBB	15.8	3.5	3	0.375	4.63	2.24
2L3-1/2X3X3/8X3/8LLBB	15.8	3.5	3	0.375	4.63	2.24
2L3-1/2X3X3/8X3/4LLBB	15.8	3.5	3	0.375	4.63	2.24
2L3-1/2X3X5/16LLBB	13.3	3.5	3	0.3125	3.91	1.9
2L3-1/2X3X5/16X3/8LLBB	13.3	3.5	3	0.3125	3.91	1.9
2L3-1/2X3X5/16X3/4LLBB	13.3	3.5	3	0.3125	3.91	1.9
2L3-1/2X3X1/4LLBB	10.8	3.5	3	0.25	3.16	1.55
2L3-1/2X3X1/4X3/8LLBB	10.8	3.5	3	0.25	3.16	1.55
2L3-1/2X3X1/4X3/4LLBB	10.8	3.5	3	0.25	3.16	1.55
2L3-1/2X2-1/2X1/2LLBB	18.8	3.5	2.5	0.5	5.53	2.82
2L3-1/2X2-1/2X1/2X3/8LLBB	18.8	3.5	2.5	0.5	5.53	2.82
2L3-1/2X2-1/2X1/2X3/4LLBB	18.8	3.5	2.5	0.5	5.53	2.82
2L3-1/2X2-1/2X3/8LLBB	14.5	3.5	2.5	0.375	4.25	2.18
2L3-1/2X2-1/2X3/8X3/8LLBB	14.5	3.5	2.5	0.375	4.25	2.18
2L3-1/2X2-1/2X3/8X3/4LLBB	14.5	3.5	2.5	0.375	4.25	2.18
2L3-1/2X2-1/2X5/16LLBB	12.2	3.5	2.5	0.3125	3.58	1.85
2L3-1/2X2-1/2X5/16X3/8LLBB	12.2	3.5	2.5	0.3125	3.58	1.85
2L3-1/2X2-1/2X5/16X3/4LLBB	12.2	3.5	2.5	0.3125	3.58	1.85
2L3-1/2X2-1/2X1/4LLBB	9.88	3.5	2.5	0.25	2.9	1.51
2L3-1/2X2-1/2X1/4X3/8LLBB	9.88	3.5	2.5	0.25	2.9	1.51
2L3-1/2X2-1/2X1/4X3/4LLBB	9.88	3.5	2.5	0.25	2.9	1.51
2L3X2-1/2X1/2LLBB	17.1	3	2.5	0.5	5.01	2.07
2L3X2-1/2X1/2X3/8LLBB	17.1	3	2.5	0.5	5.01	2.07
2L3X2-1/21/2X3/4LLBB	17.1	3	2.5	0.5	5.01	2.07
2L3X2-1/2X7/16LLBB	15.1	3	2.5	0.4375	4.44	1.84
2L3X2-1/2X7/16X3/8LLBB	15.1	3	2.5	0.4375	4.44	1.84
2L3X2-1/2X7/16X3/4LLBB	15.1	3	2.5	0.4375	4.44	1.84
2L3X2-1/2X3/8LLBB	13.1	3	2.5	0.375	3.86	1.61
2L3X2-1/2X3/8X3/8LLBB	13.1	3	2.5	0.375	3.86	1.61
2L3X2-1/2X3/8X3/4LLBB	13.1	3	2.5	0.375	3.86	1.61
2L3X2-1/2X5/16LLBB	11.1	3	2.5	0.3125	3.25	1.36
2L3X2-1/2X5/16X3/8LLBB	11.1	3	2.5	0.3125	3.25	1.36
2L3X2-1/2X5/16X3/4LLBB	11.1	3	2.5	0.3125	3.25	1.36
2L3X2-1/2X1/4LLBB	8.97	3	2.5	0.25	2.64	1.11
2L3X2-1/2X1/4X3/8LLBB	8.97	3	2.5	0.25	2.64	1.11
2L3X2-1/2X1/4X3/4LLBB	8.97	3	2.5	0.25	2.64	1.11
2L3X2-1/2X3/16LLBB	6.82	3	2.5	0.1875	2	0.846
2L3X2-1/2X3/16X3/8LLBB	6.82	3	2.5	0.1875	2	0.846
2L3X2-1/2X3/16X3/4LLBB	6.82	3	2.5	0.1875	2	0.846
2L3X2X1/2LLBB	15.4	3	2	0.5	4.53	2
2L3X2X1/2X3/8LLBB	15.4	3	2	0.5	4.53	2
2L3X2X1/2X3/4LLBB	15.4	3	2	0.5	4.53	2
2L3X2X3/8LLBB	11.9	3	2	0.375	3.5	1.56
2L3X2X3/8X3/8LLBB	11.9	3	2	0.375	3.5	1.56
2L3X2X3/8X3/4LLBB	11.9	3	2	0.375	3.5	1.56
2L3X2X5/16LLBB	10.1	3	2	0.3125	2.96	1.32
2L3X2X5/16X3/8LLBB	10.1	3	2	0.3125	2.96	1.32
2L3X2X5/16X3/4LLBB	10.1	3	2	0.3125	2.96	1.32
2L3X2X1/4LLBB	8.18	3	2	0.25	2.4	1.08
2L3X2X1/4X3/8LLBB	8.18	3	2	0.25	2.4	1.08
2L3X2X1/4X3/4LLBB	8.18	3	2	0.25	2.4	1.08
2L3X2X3/16LLBB	6.24	3	2	0.1875	1.83	0.828
2L3X2X3/16X3/8LLBB	6.24	3	2	0.1875	1.83	0.828
2L3X2X3/16X3/4LLBB	6.24	3	2	0.1875	1.83	0.828
2L2-1/2X2X3/8LLBB	10.6	2.5	2	0.375	3.11	1.09
2L2-1/2X2X3/8X3/8LLBB	10.6	2.5	2	0.375	3.11	1.09
2L2-1/2X2X3/8X3/4LLBB	10.6	2.5	2	0.375	3.11	1.09

2L Property Table

<i>Shape</i>	<i>Weight per foot</i>	<i>Depth</i>	<i>Width</i>	<i>Thickness</i>	<i>Area</i>	<i>Sx</i>
2L2-1/2X2X5/16LLBB	8.97	2.5	2	0.3125	2.64	0.931
2L2-1/2X2X5/16X3/8LLBB	8.97	2.5	2	0.3125	2.64	0.931
2L2-1/2X2X5/16X3/4LLBB	8.97	2.5	2	0.3125	2.64	0.931
2L2-1/2X2X1/4LLBB	7.3	2.5	2	0.25	2.14	0.762
2L2-1/2X2X1/4X3/8LLBB	7.3	2.5	2	0.25	2.14	0.762
2L2-1/2X2X1/4X3/4LLBB	7.3	2.5	2	0.25	2.14	0.762
2L2-1/2X2X3/16LLBB	5.57	2.5	2	0.1875	1.64	0.585
2L2-1/2X2X3/16X3/8LLBB	5.57	2.5	2	0.1875	1.64	0.585
2L2-1/2X2X3/16X3/4LLBB	5.57	2.5	2	0.1875	1.64	0.585
2L8X6X1SLBB	88.8	6	8	1	26.1	17.8
2L8X6X1X3/8SLBB	88.8	6	8	1	26.1	17.8
2L8X6X1X3/4SLBB	88.8	6	8	1	26.1	17.8
2L8X6X7/8SLBB	78.5	6	8	0.875	23.1	15.9
2L8X6X7/8X3/8SLBB	78.5	6	8	0.875	23.1	15.9
2L8X6X7/8X3/4SLBB	78.5	6	8	0.875	23.1	15.9
2L8X6X3/4SLBB	68	6	8	0.75	20	13.8
2L8X6X3/4X3/8SLBB	68	6	8	0.75	20	13.8
2L8X6X3/4X3/4SLBB	68	6	8	0.75	20	13.8
2L8X6X5/8SLBB	57.3	6	8	0.625	16.8	11.8
2L8X6X5/8X3/8SLBB	57.3	6	8	0.625	16.8	11.8
2L8X6X5/8X3/4SLBB	57.3	6	8	0.625	16.8	11.8
2L8X6X9/16SLBB	51.8	6	8	0.5625	15.2	10.7
2L8X6X9/16X3/8SLBB	51.8	6	8	0.5625	15.2	10.7
2L8X6X9/16X3/4SLBB	51.8	6	8	0.5625	15.2	10.7
2L8X6X1/2SLBB	46.3	6	8	0.5	13.6	9.58
2L8X6X1/2X3/8SLBB	46.3	6	8	0.5	13.6	9.58
2L8X6X1/2X3/4SLBB	46.3	6	8	0.5	13.6	9.58
2L8X6X7/16SLBB	40.7	6	8	0.4375	12	8.46
2L8X6X7/16X3/8SLBB	40.7	6	8	0.4375	12	8.46
2L8X6X7/16X3/4SLBB	40.7	6	8	0.4375	12	8.46
2L8X4X1SLBB	75.2	4	8	1	22.1	7.87
2L8X4X1X3/8SLBB	75.2	4	8	1	22.1	7.87
2L8X4X1X3/4SLBB	75.2	4	8	1	22.1	7.87
2L8X4X7/8SLBB	66.6	4	8	0.875	19.6	7.02
2L8X4X7/8X3/8SLBB	66.6	4	8	0.875	19.6	7.02
2L8X4X7/8X3/4SLBB	66.6	4	8	0.875	19.6	7.02
2L8X4X3/4SLBB	57.8	4	8	0.75	17	6.14
2L8X4X3/4X3/8SLBB	57.8	4	8	0.75	17	6.14
2L8X4X3/4X3/4SLBB	57.8	4	8	0.75	17	6.14
2L8X4X5/8SLBB	48.7	4	8	0.625	14.3	5.23
2L8X4X5/8X3/8SLBB	48.7	4	8	0.625	14.3	5.23
2L8X4X5/8X3/4SLBB	48.7	4	8	0.625	14.3	5.23
2L8X4X9/16SLBB	44.1	4	8	0.5625	13	4.77
2L8X4X9/16X3/8SLBB	44.1	4	8	0.5625	13	4.77
2L8X4X9/16X3/4SLBB	44.1	4	8	0.5625	13	4.77
2L8X4X1/2SLBB	39.5	4	8	0.5	11.6	4.29
2L8X4X1/2X3/8SLBB	39.5	4	8	0.5	11.6	4.29
2L8X4X1/2X3/4SLBB	39.5	4	8	0.5	11.6	4.29
2L8X4X7/16SLBB	34.8	4	8	0.4375	10.2	3.81
2L8X4X7/16X3/8SLBB	34.8	4	8	0.4375	10.2	3.81
2L8X4X7/16X3/4SLBB	34.8	4	8	0.4375	10.2	3.81
2L7X4X3/4SLBB	52.4	4	7	0.75	15.4	6.01
2L7X4X3/4X3/8SLBB	52.4	4	7	0.75	15.4	6.01
2L7X4X3/4X3/4SLBB	52.4	4	7	0.75	15.4	6.01
2L7X4X5/8SLBB	44.2	4	7	0.625	13	5.12
2L7X4X5/8X3/8SLBB	44.2	4	7	0.625	13	5.12
2L7X4X5/8X3/4SLBB	44.2	4	7	0.625	13	5.12
2L7X4X1/2SLBB	35.8	4	7	0.5	10.5	4.2
2L7X4X1/2X3/8SLBB	35.8	4	7	0.5	10.5	4.2
2L7X4X1/2X3/4SLBB	35.8	4	7	0.5	10.5	4.2
2L7X4X7/16SLBB	31.5	4	7	0.4375	9.27	3.72

2L Property Table

<i>Shape</i>	<i>Weight per foot</i>	<i>Depth</i>	<i>Width</i>	<i>Thickness</i>	<i>Area</i>	<i>Sx</i>
2L7X4X7/16X3/8SLBB	31.5	4	7	0.4375	9.27	3.72
2L7X4X7/16X3/4SLBB	31.5	4	7	0.4375	9.27	3.72
2L7X4X3/8SLBB	27.2	4	7	0.375	8	3.22
2L7X4X3/8X3/8SLBB	27.2	4	7	0.375	8	3.22
2L7X4X3/8X3/4SLBB	27.2	4	7	0.375	8	3.22
2L6X4X7/8SLBB	54.3	4	6	0.875	16	6.74
2L6X4X7/8X3/8SLBB	54.3	4	6	0.875	16	6.74
2L6X4X7/8X3/4SLBB	54.3	4	6	0.875	16	6.74
2L6X4X3/4SLBB	47.2	4	6	0.75	13.9	5.9
2L6X4X3/4X3/8SLBB	47.2	4	6	0.75	13.9	5.9
2L6X4X3/4X3/4SLBB	47.2	4	6	0.75	13.9	5.9
2L6X4X5/8SLBB	39.9	4	6	0.625	11.7	5.03
2L6X4X5/8X3/8SLBB	39.9	4	6	0.625	11.7	5.03
2L6X4X5/8X3/4SLBB	39.9	4	6	0.625	11.7	5.03
2L6X4X9/16SLBB	36.1	4	6	0.5625	10.6	4.58
2L6X4X9/16X3/8SLBB	36.1	4	6	0.5625	10.6	4.58
2L6X4X9/16X3/4SLBB	36.1	4	6	0.5625	10.6	4.58
2L6X4X1/2SLBB	32.3	4	6	0.5	9.5	4.12
2L6X4X1/2X3/8SLBB	32.3	4	6	0.5	9.5	4.12
2L6X4X1/2X3/4SLBB	32.3	4	6	0.5	9.5	4.12
2L6X4X7/16SLBB	28.5	4	6	0.4375	8.36	3.65
2L6X4X7/16X3/8SLBB	28.5	4	6	0.4375	8.36	3.65
2L6X4X7/16X3/4SLBB	28.5	4	6	0.4375	8.36	3.65
2L6X4X3/8SLBB	24.6	4	6	0.375	7.22	3.17
2L6X4X3/8X3/8SLBB	24.6	4	6	0.375	7.22	3.17
2L6X4X3/8X3/4SLBB	24.6	4	6	0.375	7.22	3.17
2L6X4X5/16SLBB	20.6	4	6	0.3125	6.05	2.67
2L6X4X5/16X3/8SLBB	20.6	4	6	0.3125	6.05	2.67
2L6X4X5/16X3/4SLBB	20.6	4	6	0.3125	6.05	2.67
2L6X3-1/2X1/2SLBB	30.7	3.5	6	0.5	9.04	3.17
2L6X3-1/2X1/2X3/8SLBB	30.7	3.5	6	0.5	9.04	3.17
2L6X3-1/2X1/2X3/4SLBB	30.7	3.5	6	0.5	9.04	3.17
2L6X3-1/2X3/8SLBB	23.4	3.5	6	0.375	6.88	2.45
2L6X3-1/2X3/8X3/8SLBB	23.4	3.5	6	0.375	6.88	2.45
2L6X3-1/2X3/8X3/4SLBB	23.4	3.5	6	0.375	6.88	2.45
2L6X3-1/2X5/16SLBB	19.7	3.5	6	0.3125	5.78	2.07
2L6X3-1/2X5/16X3/8SLBB	19.7	3.5	6	0.3125	5.78	2.07
2L6X3-1/2X5/16X3/4SLBB	19.7	3.5	6	0.3125	5.78	2.07
2L5X3-1/2X3/4SLBB	39.6	3.5	5	0.75	11.6	4.4
2L5X3-1/2X3/4X3/8SLBB	39.6	3.5	5	0.75	11.6	4.4
2L5X3-1/2X3/4X3/4SLBB	39.6	3.5	5	0.75	11.6	4.4
2L5X3-1/2X5/8SLBB	33.5	3.5	5	0.625	9.85	3.76
2L5X3-1/2X5/8X3/8SLBB	33.5	3.5	5	0.625	9.85	3.76
2L5X3-1/2X5/8X3/4SLBB	33.5	3.5	5	0.625	9.85	3.76
2L5X3-1/2X1/2SLBB	27.2	3.5	5	0.5	8.01	3.09
2L5X3-1/2X1/2X3/8SLBB	27.2	3.5	5	0.5	8.01	3.09
2L5X3-1/2X1/2X3/4SLBB	27.2	3.5	5	0.5	8.01	3.09
2L5X3-1/2X3/8SLBB	20.8	3.5	5	0.375	6.1	2.38
2L5X3-1/2X3/8X3/8SLBB	20.8	3.5	5	0.375	6.1	2.38
2L5X3-1/2X3/8X3/4SLBB	20.8	3.5	5	0.375	6.1	2.38
2L5X3-1/2X5/16SLBB	17.4	3.5	5	0.3125	5.12	2.01
2L5X3-1/2X5/16X3/8SLBB	17.4	3.5	5	0.3125	5.12	2.01
2L5X3-1/2X5/16X3/4SLBB	17.4	3.5	5	0.3125	5.12	2.01
2L5X3-1/2X1/4SLBB	14.1	3.5	5	0.25	4.13	1.63
2L5X3-1/2X1/4X3/8SLBB	14.1	3.5	5	0.25	4.13	1.63
2L5X3-1/2X1/4X3/4SLBB	14.1	3.5	5	0.25	4.13	1.63
2L5X3X1/2SLBB	25.5	3	5	0.5	7.51	2.26
2L5X3X1/2X3/8SLBB	25.5	3	5	0.5	7.51	2.26
2L5X3X1/2X3/4SLBB	25.5	3	5	0.5	7.51	2.26
2L5X3X7/16SLBB	22.5	3	5	0.4375	6.62	2.01
2L5X3X7/16X3/8SLBB	22.5	3	5	0.4375	6.62	2.01

2L Property Table

<i>Shape</i>	<i>Weight per foot</i>	<i>Depth</i>	<i>Width</i>	<i>Thickness</i>	<i>Area</i>	<i>Sx</i>
2L5X3X7/16X3/4SLBB	22.5	3	5	0.4375	6.62	2.01
2L5X3X3/8SLBB	19.5	3	5	0.375	5.73	1.75
2L5X3X3/8X3/8SLBB	19.5	3	5	0.375	5.73	1.75
2L5X3X3/8X3/4SLBB	19.5	3	5	0.375	5.73	1.75
2L5X3X5/16SLBB	16.4	3	5	0.3125	4.81	1.48
2L5X3X5/16X3/8SLBB	16.4	3	5	0.3125	4.81	1.48
2L5X3X5/16X3/4SLBB	16.4	3	5	0.3125	4.81	1.48
2L5X3X1/4SLBB	13.2	3	5	0.25	3.88	1.2
2L5X3X1/4X3/8SLBB	13.2	3	5	0.25	3.88	1.2
2L5X3X1/4X3/4SLBB	13.2	3	5	0.25	3.88	1.2
2L4X3-1/2X1/2SLBB	23.8	3.5	4	0.5	7.01	3
2L4X3-1/2X1/2X3/8SLBB	23.8	3.5	4	0.5	7.01	3
2L4X3-1/2X1/2X3/4SLBB	23.8	3.5	4	0.5	7.01	3
2L4X3-1/2X3/8SLBB	18.2	3.5	4	0.375	5.35	2.32
2L4X3-1/2X3/8X3/8SLBB	18.2	3.5	4	0.375	5.35	2.32
2L4X3-1/2X3/8X3/4SLBB	18.2	3.5	4	0.375	5.35	2.32
2L4X3-1/2X5/16SLBB	15.3	3.5	4	0.3125	4.5	1.96
2L4X3-1/2X5/16X3/8SLBB	15.3	3.5	4	0.3125	4.5	1.96
2L4X3-1/2X5/16X3/4SLBB	15.3	3.5	4	0.3125	4.5	1.96
2L4X3-1/2X1/4SLBB	12.4	3.5	4	0.25	3.63	1.59
2L4X3-1/2X1/4X3/8SLBB	12.4	3.5	4	0.25	3.63	1.59
2L4X3-1/2X1/4X3/4SLBB	12.4	3.5	4	0.25	3.63	1.59
2L4X3X5/8SLBB	27.1	3	4	0.625	7.98	2.67
2L4X3X5/8X3/8SLBB	27.1	3	4	0.625	7.98	2.67
2L4X3X5/8X3/4SLBB	27.1	3	4	0.625	7.98	2.67
2L4X3X1/2SLBB	22.1	3	4	0.5	6.51	2.2
2L4X3X1/2X3/8SLBB	22.1	3	4	0.5	6.51	2.2
2L4X3X1/2X3/4SLBB	22.1	3	4	0.5	6.51	2.2
2L4X3X3/8SLBB	16.9	3	4	0.375	4.98	1.7
2L4X3X3/8X3/8SLBB	16.9	3	4	0.375	4.98	1.7
2L4X3X3/8X3/4SLBB	16.9	3	4	0.375	4.98	1.7
2L4X3X5/16SLBB	14.2	3	4	0.3125	4.19	1.44
2L4X3X5/16X3/8SLBB	14.2	3	4	0.3125	4.19	1.44
2L4X3X5/16X3/4SLBB	14.2	3	4	0.3125	4.19	1.44
2L4X3X1/4SLBB	11.5	3	4	0.25	3.38	1.17
2L4X3X1/4X3/8SLBB	11.5	3	4	0.25	3.38	1.17
2L4X3X1/4X3/4SLBB	11.5	3	4	0.25	3.38	1.17
2L3-1/2X3X1/2SLBB	20.6	3	3.5	0.5	6.04	2.18
2L3-1/2X3X1/2X3/8SLBB	20.6	3	3.5	0.5	6.04	2.18
2L3-1/2X3X1/2X3/4SLBB	20.6	3	3.5	0.5	6.04	2.18
2L3-1/2X3X7/16SLBB	18.2	3	3.5	0.4375	5.34	1.94
2L3-1/2X3X7/16X3/8SLBB	18.2	3	3.5	0.4375	5.34	1.94
2L3-1/2X3X7/16X3/4SLBB	18.2	3	3.5	0.4375	5.34	1.94
2L3-1/2X3X3/8SLBB	15.8	3	3.5	0.375	4.63	1.69
2L3-1/2X3X3/8X3/8SLBB	15.8	3	3.5	0.375	4.63	1.69
2L3-1/2X3X3/8X3/4SLBB	15.8	3	3.5	0.375	4.63	1.69
2L3-1/2X3X5/16SLBB	13.3	3	3.5	0.3125	3.91	1.44
2L3-1/2X3X5/16X3/8SLBB	13.3	3	3.5	0.3125	3.91	1.44
2L3-1/2X3X5/16X3/4SLBB	13.3	3	3.5	0.3125	3.91	1.44
2L3-1/2X3X1/4SLBB	10.8	3	3.5	0.25	3.16	1.17
2L3-1/2X3X1/4X3/8SLBB	10.8	3	3.5	0.25	3.16	1.17
2L3-1/2X3X1/4X3/4SLBB	10.8	3	3.5	0.25	3.16	1.17
2L3-1/2X2-1/2X1/2SLBB	18.8	2.5	3.5	0.5	5.53	1.51
2L3-1/2X2-1/2X1/2X3/8SLBB	18.8	2.5	3.5	0.5	5.53	1.51
2L3-1/2X2-1/2X1/2X3/4SLBB	18.8	2.5	3.5	0.5	5.53	1.51
2L3-1/2X2-1/2X3/8SLBB	14.5	2.5	3.5	0.375	4.25	1.18
2L3-1/2X2-1/2X3/8X3/8SLBB	14.5	2.5	3.5	0.375	4.25	1.18
2L3-1/2X2-1/2X3/8X3/4SLBB	14.5	2.5	3.5	0.375	4.25	1.18
2L3-1/2X2-1/2X5/16SLBB	12.2	2.5	3.5	0.3125	3.58	1
2L3-1/2X2-1/2X5/16X3/8SLBB	12.2	2.5	3.5	0.3125	3.58	1
2L3-1/2X2-1/2X5/16X3/4SLBB	12.2	2.5	3.5	0.3125	3.58	1

2L Property Table

<i>Shape</i>	<i>Weight per foot</i>	<i>Depth</i>	<i>Width</i>	<i>Thickness</i>	<i>Area</i>	<i>Sx</i>
2L3-1/2X2-1/2X1/4SLBB	9.88	2.5	3.5	0.25	2.9	0.819
2L3-1/2X2-1/2X1/4X3/8SLBB	9.88	2.5	3.5	0.25	2.9	0.819
2L3-1/2X2-1/2X1/4X3/4SLBB	9.88	2.5	3.5	0.25	2.9	0.819
2L3X2-1/2X1/2SLBB	17.1	2.5	3	0.5	5.01	1.47
2L3X2-1/2X1/2X3/8SLBB	17.1	2.5	3	0.5	5.01	1.47
2L3X2-1/21/2X3/4SLBB	17.1	2.5	3	0.5	5.01	1.47
2L3X2-1/2X7/16SLBB	15.1	2.5	3	0.4375	4.44	1.31
2L3X2-1/2X7/16X3/8SLBB	15.1	2.5	3	0.4375	4.44	1.31
2L3X2-1/2X7/16X3/4SLBB	15.1	2.5	3	0.4375	4.44	1.31
2L3X2-1/2X3/8SLBB	13.1	2.5	3	0.375	3.86	1.15
2L3X2-1/2X3/8X3/8SLBB	13.1	2.5	3	0.375	3.86	1.15
2L3X2-1/2X3/8X3/4SLBB	13.1	2.5	3	0.375	3.86	1.15
2L3X2-1/2X5/16SLBB	11.1	2.5	3	0.3125	3.25	0.974
2L3X2-1/2X5/16X3/8SLBB	11.1	2.5	3	0.3125	3.25	0.974
2L3X2-1/2X5/16X3/4SLBB	11.1	2.5	3	0.3125	3.25	0.974
2L3X2-1/2X1/4SLBB	8.97	2.5	3	0.25	2.64	0.794
2L3X2-1/2X1/4X3/8SLBB	8.97	2.5	3	0.25	2.64	0.794
2L3X2-1/2X1/4X3/4SLBB	8.97	2.5	3	0.25	2.64	0.794
2L3X2-1/2X3/16SLBB	6.82	2.5	3	0.1875	2	0.606
2L3X2-1/2X3/16X3/8SLBB	6.82	2.5	3	0.1875	2	0.606
2L3X2-1/2X3/16X3/4SLBB	6.82	2.5	3	0.1875	2	0.606
2L3X2X1/2SLBB	15.4	2	3	0.5	4.53	0.94
2L3X2X1/2X3/8SLBB	15.4	2	3	0.5	4.53	0.94
2L3X2X1/2X3/4SLBB	15.4	2	3	0.5	4.53	0.94
2L3X2X3/8SLBB	11.9	2	3	0.375	3.5	0.736
2L3X2X3/8X3/8SLBB	11.9	2	3	0.375	3.5	0.736
2L3X2X3/8X3/4SLBB	11.9	2	3	0.375	3.5	0.736
2L3X2X5/16SLBB	10.1	2	3	0.3125	2.96	0.628
2L3X2X5/16X3/8SLBB	10.1	2	3	0.3125	2.96	0.628
2L3X2X5/16X3/4SLBB	10.1	2	3	0.3125	2.96	0.628
2L3X2X1/4SLBB	8.18	2	3	0.25	2.4	0.515
2L3X2X1/4X3/8SLBB	8.18	2	3	0.25	2.4	0.515
2L3X2X1/4X3/4SLBB	8.18	2	3	0.25	2.4	0.515
2L3X2X3/16SLBB	6.24	2	3	0.1875	1.83	0.396
2L3X2X3/16X3/8SLBB	6.24	2	3	0.1875	1.83	0.396
2L3X2X3/16X3/4SLBB	6.24	2	3	0.1875	1.83	0.396
2L2-1/2X2X3/8SLBB	10.6	2	2.5	0.375	3.11	0.722
2L2-1/2X2X3/8X3/8SLBB	10.6	2	2.5	0.375	3.11	0.722
2L2-1/2X2X3/8X3/4SLBB	10.6	2	2.5	0.375	3.11	0.722
2L2-1/2X2X5/16SLBB	8.97	2	2.5	0.3125	2.64	0.617
2L2-1/2X2X5/16X3/8SLBB	8.97	2	2.5	0.3125	2.64	0.617
2L2-1/2X2X5/16X3/4SLBB	8.97	2	2.5	0.3125	2.64	0.617
2L2-1/2X2X1/4SLBB	7.3	2	2.5	0.25	2.14	0.507
2L2-1/2X2X1/4X3/8SLBB	7.3	2	2.5	0.25	2.14	0.507
2L2-1/2X2X1/4X3/4SLBB	7.3	2	2.5	0.25	2.14	0.507
2L2-1/2X2X3/16SLBB	5.57	2	2.5	0.1875	1.64	0.391
2L2-1/2X2X3/16X3/8SLBB	5.57	2	2.5	0.1875	1.64	0.391
2L2-1/2X2X3/16X3/4SLBB	5.57	2	2.5	0.1875	1.64	0.391